

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	691	(sequent\$5 subsequent\$5) near4 (execut\$5) and (microcontroller) and (routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 07:01
L2	691	(sequent\$5 subsequent\$5) near4 (execut\$5) and (microcontroller) and (routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 07:02
L3	33	(sequent\$5 subsequent\$5) near4 (execut\$5) same (microcontroller) same(routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 07:02
L4	19	(sequent\$5 subsequent\$5) same (microcontroller) and (patch near3 routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 07:18
L5	15	(sequent\$5 subsequent\$5) same (microcontroller) same (logical decision) near4 (node point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 07:22
L6	14	(microcontroller) same (logical decision) near4 (node point) near5 (decid\$5 undecid\$5 reach\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 07:52
L7	137	routine same (updat\$5 revis\$5) near7 (vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 07:57
L8	10	routine same (updat\$5 revis\$5) near7 (vector) and (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 07:59
L9	326	(updat\$5 revis\$5) near7 (vector) and (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:00
L10	27	(updat\$5 revis\$5) near7 (vector) and (microcontroller) and (wait) near4 (ouput result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:03
L11	12198	"712"/\$.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:04

L12	0	I11 and (microcontroller) and (dynamic\$5) near5 (patch near3 routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:04
L13	0	I11 and (simultaneous out-of-order) near6 (execut\$5) near5 (process\$5) and (updat\$5) near6 (vector pointer) near5 (wait\$5 acknowledge) near5 (output result outcome decision)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:06
L14	839	I11 and (simultaneous out-of-order) near6 (execut\$5) near5 (process\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:06
L15	682	I11 and ( out-of-order) near6 (execut\$5) near5 (process\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 09:58
L16	0	I11 and ( out-of-order) near6 (execut\$5) near5 (process\$5) same (vector) same (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:47
L17	3	I11 and ( out-of-order) near6 (execut\$5) near5 (process\$5) same (vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:45
L18	3	I11 and ( out-of-order) near6 (execut\$5) near5 (process\$5) same (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:47
L19	0	I11 and ( out-of-order) near6 (execut\$5) near5 (process\$5) same (multitask\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:49
L20	0	( out-of-order) near6 (execut\$5) near5 (process\$5) same (multitask\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:49
L21	0	(out-of-order) near6 (execut\$5) near5 (process\$5) same (multitask\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:49
L22	7	I11 and (out-of-order) near6 (execut\$5) near5 (process\$5) and (multitask\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 09:37

L23	2	"6260157".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 09:37
L24	2	"4530051".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:22
L25	149	(multitask\$5) near5 (control) near5 (program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:23
L26	12	(multitask\$5) adj (control) adj (program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:23
S1	112	((ROM (Read adj only adj memory))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine program application))near10 (subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 12:15
S2	0	"709"\$.ccls. and ((ROM (Read adj only adj memory))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine program application))near10 (subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 12:16
S3	0	"718"\$.ccls. and ((ROM (Read adj only adj memory))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine program application))near10 (subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 12:16
S4	5119	network adj interface adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 08:18
S5	2345	(network adj interface adj card) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:45
S6	615	((network adj interface adj card) and @ad<"20001115") and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:26
S7	70	((network adj interface adj card) and @ad<"20001115") and microcontroller) and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:01
S8	10	((network adj interface adj card) and @ad<"20001115") and microcontroller) and ((routine\$2 and subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 15:11
S9	33	((network adj interface adj card) and @ad<"20001115") and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))) and (multitask\$4 and control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 14:49

S10	2	(((((network adj interface adj card) and @ad<"20001115") and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))) and (multitask\$4 and control\$4)) and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))) and microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 14:51
S11	33	(((((network adj interface adj card) and @ad<"20001115") and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))) and (multitask\$4 and control\$4)) and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 14:55
S12	596	physical adj layer adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 15:45
S13	360	(physical adj layer adj interface) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:44
S14	0	((physical adj layer adj interface) and @ad<"20001115") and ((routine\$2 and subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 15:11
S15	44	((physical adj layer adj interface) and @ad<"20001115") and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 15:11
S16	9	((physical adj layer adj interface) and @ad<"20001115") and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))) and microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 15:34
S17	295	((physical adj layer adj interface) and @ad<"20001115") and ((Control\$4 monitor\$4)and (function state status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 15:23
S18	17	((physical adj layer adj interface) and @ad<"20001115") and ((Control\$4 monitor\$4)and (function state status))) and microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 15:35
S19	0	((network adj interface adj card) and @ad<"20001115") and microcontroller) and (physical adj layer adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 15:45
S20	14	((network adj interface adj card) and @ad<"20001115") and microcontroller) and ((upgrad\$4 patch\$3 reprogram\$5) and (state adj machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:03
S21	874	712/247,245,243,233.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:03
S22	798	712/247,245,243,233.ccls. and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:04

S23	3	(712/247,245,243,233.ccls. and @ad<"20001115") and (network adj interface adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:53
S24	0	((network adj interface adj card) and @ad<"20001115") and microcontroller) and (Multi\$4 adj (task routine) adj (control)adj (program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 16:07
S25	2	(Multi\$4 adj (task routine) adj (control)adj (program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 16:13
S26	4	(Multitasking) adj (control)adj (program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 16:13
S27	163	((network adj interface adj card) and @ad<"20001115") and microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:16
S28	1602	Programmable and (network adj (interface\$3 adapter\$3)adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:17
S29	5	Programmable near2 (network adj (interface\$3 adapter\$3)adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:17
S30	2	((network adj interface adj card) and @ad<"20001115") and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))) and ((Patch\$2 reprogram repair)near3(routine\$2 subroutine\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 16:41
S31	254	((Patch\$2 reprogram repair)adj(routine\$2 subroutine\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/17 16:41
S32	1	((Patch\$2 reprogram repair)adj(routine\$2 subroutine\$3))) and (network adj interface adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 09:39
S33	3491	((network adj interface adj card) NIC "NIC") and (controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/17 16:44
S34	1804	((network adj interface adj card) NIC "NIC") and (controller)) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 08:16
S35	560	Embedded adj microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/18 13:45

S36	1	((Embedded adj microcontroller) and @ad<"20001115") and network adj interface adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 08:18
S37	31	((Embedded adj microcontroller) and @ad<"20001115") and (call\$3 near (routine subroutine function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:46
S38	37	((Embedded adj microcontroller) and @ad<"20001115") and (call\$3 near3 (routine subroutine function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:43
S39	108035	"324"/\$.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 10:32
S40	12	Sun-albert-c.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 12:30
S41	2	"4530051".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:44
S42	0	in-circuit adj program\$%	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:45
S43	115	in-circuit adj program\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:45
S44	78	(in-circuit adj program\$4) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 08:25
S45	3	((in-circuit adj program\$4) and @ad<"20001115") and microcontroller) and ((Embedded adj microcontroller) and @ad<"20001115") and (call\$3 near (routine subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:46
S46	3	((in-circuit adj program\$4) and @ad<"20001115") and microcontroller) and ((Embedded adj microcontroller) and @ad<"20001115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 13:49
S47	27	((in-circuit adj program\$4) and @ad<"20001115") and microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/18 13:49
S48	2345	(network adj interface adj card) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/18 14:15

S49	0	((network adj interface adj card) and @ad<"20001115") and ((Multitask\$4) Near10 ((control)adj (program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/18 14:16
S50	114	((network adj interface adj card) and @ad<"20001115") and((control)adj (program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/18 14:17
S51	23	((network adj interface adj card) and @ad<"20001115") and((control)adj (program))) and ((call\$3 invoke invoca\$5)near10(routine subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/22 08:26
S52	286	(Embedded adj microcontroller) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:43
S53	173	(in-system adj program\$4) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 08:26
S54	0	((in-system adj program\$4) and @ad<"20001115") and (((network adj interface adj card)and((control)adj (program))) and ((call\$3 invoke invoca\$5)near10(routine subroutine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 10:56
S55	2	((in-system adj program\$4) and @ad<"20001115") and (((control)adj (program))) and ((call\$3 invoke invoca\$5)near10(routine subroutine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/22 08:33
S56	1	((in-system adj program\$4) and @ad<"20001115") and (((control)adj (program))) and ((call\$3 invoke invoca\$5)near10(routine subroutine)))) and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/22 08:33
S57	8	((in-system adj program\$4) and @ad<"20001115") and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/22 08:34
S58	108035	"324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 11:04
S59	135	324/376,377.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 11:06
S60	294	324/415,416.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 12:13
S61	2	"6182238".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 12:14



S62	2	"4530051".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/22 12:14
S63	3785	((ROM (Read adj only adj memory))) and (RAM (random adj access adj memory))) and (Microcontroller)) and ((routine (main adj (routine program application)) same (metaroutine subroutine subprogram)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:44
S64	3152	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) and (Microcontroller)) and ((routine (main adj (routine program application)) same (metaroutine subroutine subprogram)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:32
S65	1468	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) same(Microcontroller)) and ((routine (main adj (routine program application)) same (metaroutine subroutine subprogram)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 09:45
S66	112	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) same(Microcontroller)) same((routine (main adj (routine program application)) same (metaroutine subroutine subprogram)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 09:45
S67	3782	((ROM (Read adj only adj memory)))and (RAM (random adj access adj memory))) and (Microcontroller)) and ((routine (main adj (routine program application)) same (subroutine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:37
S68	112	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine program application)) same (subroutine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:41
S69	112	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine))near10 (subroutine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 09:51
S70	112	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine))and (subroutine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 09:52
S71	112	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine))and (sub-routine)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 09:52
S72	0	((ROM (Read adj only adj memory)))same(RAM (random adj access adj memory))) and (Microcontroller)) and ((routine (main adj (routine program application)) same (sub adj routine))) and (NIC (network adj interface adj card)) and (call\$5 order\$5 instruct\$5 provid\$5) near10 (sub adj routine) and (reset\$5 updat\$5) near10 (vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:38
S73	0	(NIC (network adj interface adj card)) and ((call\$5 order\$5 instruct\$5 provid\$5) near10 (sub adj routine) same (reset\$5 updat\$5) near10 (vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:48
S74	1	(Microcontroller) and ((call\$5 order\$5 instruct\$5 provid\$5) near10 (sub adj routine) same (reset\$5 updat\$5) near10 (vector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:40



S75	112	((ROM (Read adj only adj memory))same(RAM (random adj access adj memory))) same (Microcontroller))same ((routine (main adj (routine program application)) same (sub adj routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:45
S76	4	(ROM)same(RAM) same (Microcontroller)same ((routine) same (sub adj routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:43
S77	530	Embedded adj microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:44
S78	81	(Embedded adj microcontroller) and ((ROM (Read adj only adj memory))and (RAM (random adj access adj memory))) and (Microcontroller)) and ((routine (main adj (routine program application)) same (sub adj routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:44
S79	81	(Embedded adj microcontroller) and ((ROM (Read adj only adj memory))and (RAM (random adj access adj memory))) and ((routine (main adj (routine program application)) same (sub adj routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:44
S80	151	(Embedded adj microcontroller) and(routine (main adj (routine)) same (sub adj routine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:47
S81	0	(Embedded adj microcontroller) and (main adj (routine)) same (sub adj routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:48
S82	0	((main adj (routine)) same (sub adj routine)) and (call\$5 order\$5 instruct\$5 provid\$5) near10 (sub adj routine) same (reset\$5 updat\$5) near10 (vector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:49
S83	460	(main adj (routine)) same (sub adj routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:52
S84	2	((ROM)same(RAM) same(Microcontroller)) and (main adj (routine)) same (sub adj routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:50
S85	0	(multitask\$5 near5 vector) and (main adj (routine)) same (sub adj routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:53
S86	1	((updat\$5 refresh\$5 reset\$5)near5 vector) and (main adj (routine)) same (sub adj routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:55
S87	1	((updat\$5)near5 vector) and (main adj (routine)) same (sub adj routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/16 10:55

S88	0	(in-system adj program\$4) and (network adj interface adj card)and(control)adj (program)and ((call\$3 invoke invoca\$5)near10(routine subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 10:58
S89	54	(network adj interface adj card)and(control)adj (program)and ((call\$3 invoke invoca\$5)near10(routine subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 10:58
S90	0	(network adj interface adj card)and(control)adj (program)same ((call\$3 invoke invoca\$5)near10(routine subroutine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/16 10:58
S91	740	(main) near3(routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (mak\$5 execut\$5 call\$5) near4 (subsequent\$5 sequenti\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:17
S92	61	(main) near3 (routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) same (mak\$5 execut\$5 call\$5) near4 (subsequent\$5 sequenti\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:23
S93	2	"5404521".pn	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:21
S94	2	"5404521".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 13:22
S95	2	(Rohit near2 Chandra) and (Anoop near3 Gupta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:09
S96	2	"5127096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:09
S97	0	(network adj interface adj card) and (main) near3(routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (mak\$5 execut\$5 call\$5) near4 (subsequent\$5 sequenti\$5) and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:28
S98	0	(network adj interface adj card) and (main) near3(routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (mak\$5 execut\$5 call\$5) near4 (subsequent\$5 sequenti\$5) and(RAM ROM Vector\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:27
S99	0	(network adj interface adj card) and (main) near3(routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (mak\$5 execut\$5 call\$5) near4 (subsequent\$5 sequenti\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:27

S10 0	16	(network adj interface adj card) and (main) near3(routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:29
S10 1	110	(network adj interface) and (main) near3(routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (RAM ROM Vector\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:51
S10 2	2	"6778826".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 15:51
S10 3	301	((network adj interface adj card) and microcontroller) and ((routine\$2 subroutine\$3) and (RAM ROM Vector\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:03
S10 4	0	(network adj interface adj card) and microcontroller) and (((routine\$2 subroutine\$3) near6 (dec1\$6 near2 (point node))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:05
S10 5	0	(network adj interface adj card) and microcontroller) and (((routine\$2 subroutine\$3) near6 (decision near2 (point node))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:05
S10 6	474	(main) near3 (routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (sequen\$6 near3 (controller processor CPU microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:24
S10 7	38	(main) near3 (routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (sequential near3 (controller processor CPU microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:39
S10 8	5	(execut\$5 process\$5) near3 (multiple several plural\$5) near4 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (sequential near3 (controller processor CPU microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:32
S10 9	1	(main) near3 (routine program procedure process) near5 (execut\$5 process\$5) near3 (multiple several plural\$5) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (sequential near3 (controller processor CPU microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:37
S11 0	2	(routine program procedure process) near5 (execut\$5 process\$5) near3 (multiple several plural\$5) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (sequential near3 (controller processor CPU microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:38
S11 1	786	(routine program procedure process) near5 (execut\$5 process\$5) near3 (multiple several plural\$5) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:40

S11 2	4145	(main) near3 (routine program procedure process) near3(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:39
S11 3	39	(main) near3 (routine program procedure process) near5 (execut\$5 process\$5) near3 (multiple several plural\$5) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:47
S11 4	54954	(main) near3 (routine program procedure process) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) and (assembl\$5 consolidat\$5) near4 (outcome result) near4 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:49
S11 5	54954	(main) near3 (routine program procedure process) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) same(assembl\$5 consolidat\$5) near4 (outcome result) near4 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:50
S11 6	99	(main) near3 (routine program procedure process) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) same(assembl\$5 consolidat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:50
S11 7	0	(wait\$5) near4 (state) near4(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) same(assembl\$5 consolidat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:51
S11 8	396	(wait\$5) near4 (outcome result state) same(subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 16:53
S11 9	46	(wait\$5) near4 (outcome result state) near5 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:52
S12 0	0	(sequential) near8 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) near5 (decision) near3 (node point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:04
S12 1	0	(sequential) near8 (process\$5 execut\$5) near5 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process) near5 (decision) near3 (node point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:05
S12 2	183	(sequential) near8 (process\$5 execut\$5) near5 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:38

S12 3	2	"4530051".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:38
S12 4	0	"709"/\$.ccls. and (wait\$5) near4 (outcome result state) near5 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:53
S12 5	6	"718"/\$.ccls. and (wait\$5) near4 (outcome result state) near5 (subroutine subprogram subprocedure subprocess sub-routine sub-program sub-procedure sub-process)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:27
S12 6	2	"6182238".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:51
S12 7	2	"5127096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:51
S12 8	3	712/247,245,243,233.ccls. and (network adj interface adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 12:53
S12 9	76	(sequent\$5 subsequent\$5) near4 (execut\$5) near4 (routin\$5) and (microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:21
S13 0	27	((network adj interface adj card) (physical near4 interface)) same (real near3 time) and (microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:50
S13 1	1	(sequent\$5 subsequent\$5) near4 (execut\$5) and (microcontroller) and (patch near3 routine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 07:13
S13 2	0	((network adj interface adj card) same (physical near4 interface)) same (real near3 time) and (microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 13:50
S13 3	13	(network adj interface adj card) same (real near3 time) and (microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:02
S13 4	47	(network adj interface adj card) same (microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 14:02
S13 5	6	("5465106"   "6286070"   "6363423"   "6496858"   "6523083"   "6535924").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/01 15:00

S13 6	0	(stall) same (data near4 dependanc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:32
S13 7	1	(stall) same (data near4 dependanc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:33
S13 8	357	(stall) same ((data) near4 (dependenc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:37
S13 9	12	(stall) same ((data) near4 (dependenc\$5)) and (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:47
S14 0	8	(Multitasking) near3 vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:50
S14 1	4620	(out near3 order near3 execut\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:50
S14 2	0	(out near3 order near3 execut\$5) same (data near3 dependen\$5) same (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:52
S14 3	16	(out near3 order near3 execut\$5) same (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:57
S14 4	1	(multitask\$5) near5 (vector) same (microcontroller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:57
S14 5	69	(out near3 order near3 execut\$5) same (vector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 13:57
S14 6	2	"4530051".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:31
S14 7	3185	(main near2 routine) same subroutine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:24

S14 8	3212	(main near2 routine) same subroutine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:22
S14 9	1526	(main near2 routine) near4 subroutine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:22
S15 0	1399	(main adj routine) near4 subroutine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:27
S15 1	5	(main adj routine) near4 subroutine same microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:22
S15 2	22	(main near2 routine) same subroutine same microcontroller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:24
S15 3	13	(main adj routine) near4 subroutine same vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:29
S15 4	0	(main adj routine) near4 subroutine same task near5 vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:29
S15 5	2	"5127096".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:58
S15 6	2	(microcontroller) and (dynamic\$5) near5 (patch near3 routine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 08:04
S15 7	2	"6182238".pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:07
S15 8	118	routine same (wait) near4 (ouput result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 07:56